## Klea® 134a Pressure-Temperature Chart

Pressure (psig)	Temperature (°F)	Pressure (psig)	Temperature (°F)
2.0	-9.8	110.0	93.0
4.0	-5.2	115.0	95.5
6.0	-1.0	120.0	98.0
8.0	3.0	125.0	100.4
10.0	6.7	130.0	102.7
12.0	10.1	135.0	105.0
14.0	13.4	140.0	107.2
16.0	16.5	145.0	109.4
18.0	19.4	150.0	111.5
20.0	22.2	155.0	113.6
22.0	24.9	160.0	115.6
24.0	27.4	165.0	117.6
26.0	29.9	170.0	119.6
28.0	32.3	175.0	121.5
30.0	34.6	180.0	123.3
32.0	36.8	185.0	125.2
34.0	38.9	190.0	127.0
36.0	41.0	200.0	130.4
38.0	43.0	210.0	133.8
40.0	44.9	220.0	137.1
42.0	46.8	230.0	140.2
44.0	48.7	240.0	143.3
46.0	50.5	250.0	146.3
48.0	52.3	260.0	149.2
50.0	54.0	270.0	152.0
52.0	55.7	280.0	154.7
54.0	57.3	290.0	157.4
56.0	58.9	300.0	160.0
58.0	60.5	310.0	162.5
60.0	62.0	320.0	165.0
62.0	63.5	330.0	167.4
64.0	65.0	340.0	169.8
66.0	66.4	350.0	172.1
68.0	67.8	360.0	174.4
70.0	69.2		
75.0	72.6		
80.0	75.9		
85.0	79.0		
90.0	82.0		
95.0	84.9		
100.0	87.7		



Mexichem Fluor Inc, 4990 B ICI Road, PO Box 30, St. Gabriel, LA 70776, USA Tel TOLL FREE: 800-ASK-KLEA, Tel: +(225) 642-0094, Fax: +(225) 642-8629 Email: kleaUSwebmail@mexichem.com

## Disclaimer

Information contained in this publication, or as otherwise supplied to the Users is believed to be accurate and given in good faith, but it is for the User to satisfy itself of the suitability for its own particular purpose. Mexichem gives no warranty as to the fitness of the Product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that such exclusion is prevented by law. Mexichem accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patent, Copyright and Design cannot be assumed. Klea@ and Mexichem@ are trademarks of Mexichem SAB de C.V. © Mexichem 2016. All rights reserved. Not to be reproduced without the consent of the copyright owner.